

Wallbridge Fenelon Gold Property 2019 drill hole information (as of May 20, 2020)

Drill Hole ID	Local grid E	Local grid N	Elevation	Length (Metres)	Azimuth	Dip	VG/CP ⁽¹⁾	Note
19-0915-001	10392	10910	5134	102	348	-32	CP	Final Assays Received
19-0915-002	10392	10910	5134	90	7	25	CP	Final Assays Received
19-0915-003	10390	10907	5135	171	265	-30	CP	Final Assays Received
19-0915-004	10390	10907	5135	155	265	34	CP	Final Assays Received
19-0915-005	10390	10907	5135	501	240	-48	VG	Final Assays Received
19-0915-006	10390	10907	5135	138	250	-30		Final Assays Received
19-0915-007	10390	10907	5135	123	248	-17	CP	Final Assays Received
19-0915-008	10390	10907	5135	117	240	0	CP	Final Assays Received
19-0915-009	10390	10907	5135	132	240	20	CP	Final Assays Received
19-0915-010	10390	10907	5135	126	245	39	VG	Final Assays Received
19-0915-011	10390	10907	5135	603	220	-56	VG	Final Assays Received
19-0915-012	10390	10907	5135	150	230	-37	CP	Final Assays Received
19-0915-013	10390	10907	5135	105	215	-19	CP	Final Assays Received
19-0915-014	10390	10907	5135	105	225	0		Final Assays Received
19-0915-015	10390	10907	5135	117	223	20		Final Assays Received
19-0915-016	10390	10907	5135	528	210	-58	VG	Final Assays Received
19-0915-017	10390	10907	5135	166	210	-70	CP	Final Assays Received
19-0915-018	10390	10907	5135	651	210	-71	VG	Final Assays Received
19-0915-019	10390	10907	5135	609	202	-65	VG	Final Assays Received
19-0915-020	10390	10907	5135	446	202	-54	CP	Final Assays Received
19-0915-021	10390	10907	5135	487	180	-65	VG	Final Assays Received
19-0915-022	10390	10907	5135	402	180	-59	CP	Final Assays Received
19-0915-023	10390	10907	5135	348	173	-48	CP	Final Assays Received
19-0915-024	10390	10907	5135	447	200	-60	CP	Final Assays Received
19-0915-025	10390	10907	5135	477	210	-43	VG	Final Assays Received
19-0915-026	10390	10907	5135	746	218	-63	CP	Final Assays Received
19-0925-001	10399	10906	5134	111	24	-56	CP	Final Assays Received
19-0925-002	10595	10950	5134	87	24	-38	CP	Final Assays Received
19-0925-003	10399	10906	5134	75	24	-17	CP	Final Assays Received
19-0925-004	10595	10950	5134	99	25	-10	CP	Final Assays Received
19-0925-005	10397	10902	5135	48	190	-55		Final Assays Received
19-0925-005A	10397	10902	5135	552	190	-55	VG	Final Assays Received
19-0925-006	10397	10902	5135	420	180	-41		Additional Sampling Underway
19-0925-007	10397	10902	5135	495	180	-5	VG	Final Assays Received
19-0925-008	10397	10902	5135	516	180	-25	CP	Final Assays Received
19-0925-009	10397	10902	5135	500	180	0	CP	Final Assays Received
19-0925-010	10399	10907	5134	90	360	-10		Final Assays Received
19-0925-011	10399	10907	5134	90	360	-25		Final Assays Received
19-0925-012	10399	10907	5134	102	360	-40	VG	Final Assays Received
19-0925-013	10399	10906	5134	132	360	-55	CP	Final Assays Received
19-0925-014	10399	10906	5134	201	360	-68	CP	Final Assays Received
19-0925-015	10399	10906	5134	198	330	-53	CP	Final Assays Received
19-0925-016	10399	10906	5134	162	24	-64	CP	Additional Sampling Underway
19-0925-017	10399	10906	5134	207	24	-73	CP	Final Assays Received
19-0925-018	10399	10906	5134	102	24	28		Final Assays Received
19-0940-001	10417	10897	5134	110	24	-53	CP	Final Assays Received
19-0940-002	10417	10897	5134	103	24	-15	CP	Final Assays Received
19-0955-001	10430	10890	5134	105	21	-4	CP	Final Assays Received
19-0955-002	10430	10890	5134	102	24	-44	VG	Final Assays Received
19-0955-003	10430	10890	5134	135	24	-55	CP	Final Assays Received
19-0955-004	10430	10890	5134	138	24	-64	CP	Final Assays Received
19-0955-005	10430	10890	5134	201	24	-70	VG	Final Assays Received
19-0955-006	10430	10890	5134	240	20	-75	VG	Final Assays Received
19-0970-001	10444	10883	5134	117	24	-37	VG	Final Assays Received
19-0970-002	10444	10883	5134	114	24	-46	VG	Final Assays Received
19-0970-003	10444	10883	5134	156	24	-63	CP	Final Assays Received

19-0970-004	10442	10879	5135	445	180	-15	CP	Final Assays Received
19-0970-005	10442	10879	5135	600	180	-46	CP	Final Assays Received
19-0970-006	10442	10879	5135	726	180	-54	VG	Final Assays Received
19-0970-007	10442	10879	5135	851	180	-60	VG	Final Assays Received
19-0970-008	10442	10879	5135	597	180	0	CP	Assays pending
19-0970-009	10442	10879	5135	522	180	-30	VG	Final Assays Received
19-0985-001	10457	10876	5134	117	24	-35	CP	Final Assays Received
19-0985-002	10457	10876	5134	117	24	-44	VG	Final Assays Received
19-0985-003	10457	10876	5134	135	24	-52	VG	Final Assays Received
19-0985-004	10457	10876	5134	168	24	-61	CP	Final Assays Received
19-0985-005	10457	10876	5134	201	24	-68	VG	Final Assays Received
19-0985-006	10457	10876	5134	234	24	-73	CP	Final Assays Received
19-0985-007	10457	10876	5134	90	3	13	VG	Final Assays Received
19-0985-008	10457	10876	5134	48	10	-3	VG	Final Assays Received
19-0985-009	10457	10876	5134	87	13	5	VG	Final Assays Received
19-0985-010	10457	10876	5134	90	16	13	VG	Final Assays Received
19-0985-011	10457	10876	5134	90	16	21	CP	Final Assays Received
19-0985-012	10457	10876	5134	85	22	11	VG	Final Assays Received
19-0985-013	10457	10876	5134	87	26	21	VG	Final Assays Received
19-0985-014	10457	10876	5134	93	35	21	VG	Final Assays Received
19-0985-015	10457	10876	5134	90	35	17	VG	Final Assays Received
19-1000-001	10471	10869	5133	120	24	-32		Final Assays Received
19-1000-002	10471	10869	5133	132	24	-50		Final Assays Received
19-1000-003	10471	10869	5133	164	24	-60	CP	Final Assays Received
19-1000-004	10471	10869	5133	111	30	-22	CP	Final Assays Received
19-1000-005	10471	10869	5133	123	35	-40	CP	Final Assays Received
19-1000-006	10471	10869	5133	147	37	-52	VG	Final Assays Received
19-1000-007	10473	10863	5134	489	178	-5	VG	Final Assays Received
19-1000-008	10473	10863	5134	183	178	-40		Final Assays Received
19-1000-009	10470	10869	5133	189	37	-66	CP	Final Assays Received
19-1000-010	10470	10869	5133	222	36	-71	CP	Final Assays Received
19-1000-011	10470	10869	5133	181	22	-66	CP	Final Assays Received
19-1000-012	10470	10869	5133	156	37	-56	CP	Final Assays Received
19-1000-013	10470	10869	5133	209	21	-72	CP	Final Assays Received
19-1000-014	10535	10953	5164	30.1	195	-41	CP	Final Assays Received
19-1000-015	10535	10953	5164	27	195	-29	CP	Final Assays Received
19-1000-016	10535	10953	5164	36	208	-32	CP	Final Assays Received
19-1000-017	10535	10953	5164	36	208	-16	CP	Final Assays Received
19-1000-018	10535	10953	5164	54	223	-32	VG	Final Assays Received
19-1000-019	10535	10953	5164	54	223	-24	CP	Final Assays Received
19-1000-020	10535	10953	5164	51	223	-12	CP	Final Assays Received
19-1000-021	10535	10953	5164	63	244	-9	VG	Final Assays Received
19-1000-022	10535	10953	5164	54	244	2	CP	Final Assays Received
19-1025-001	10494	10857	5134	225	38	-67	CP	Final Assays Received
19-1025-002	10494	10857	5134	246	38	-71	CP	Final Assays Received
19-1035-001	10502	10852	5134	177	25	-57	CP	Final Assays Received
19-1035-002	10502	10851	5134	150	25	-48	CP	Final Assays Received
19-1035-003	10502	10852	5134	138	23	-38	VG	Final Assays Received
19-1035-004	10502	10851	5134	165	38	-46		Final Assays Received
19-1035-005	10502	10851	5134	180	49	-43	CP	Final Assays Received
19-1035-006	10502	10851	5134	168	30	-41		Final Assays Received
19-1035-007	10502	10852	5134	180	55	-38	CP	Final Assays Received
19-1035-008	10502	10852	5134	243	64	-39	CP	Final Assays Received
19-1035-009	10502	10852	5134	255	70	-38	CP	Final Assays Received
19-1035-010	10502	10852	5134	267	71	-48	CP	Final Assays Received
19-1035-011	10502	10852	5134	261	66	-52	CP	Final Assays Received
19-1035-012	10502	10852	5134	249	60	-57	CP	Final Assays Received
19-1035-013	10502	10852	5134	279	60	-63	CP	Final Assays Received
19-1035-014	10502	10852	5134	198	54	-46	VG	Final Assays Received

19-1035-015	10502	10852	5134	213	52	-55	CP	Final Assays Received
19-1035-016	10502	10852	5134	234	48	-63	CP	Final Assays Received
19-1035-017	10502	10852	5134	258	48	-68	CP	Final Assays Received
19-1035-18	10557	10948	5165	3	168	-39	CP	Final Assays Received
19-1035-018A	10557	10948	5165	48	168	-39	CP	Final Assays Received
19-1035-019A	10557	10948	5165	39	168	-28	VG	Final Assays Received
19-1035-020	10557	10948	5165	30	168	-13	VG	Final Assays Received
19-1035-021	10557	10948	5165	27	203	-38	CP	Final Assays Received
19-1035-022	10557	10948	5165	43	220	-33	VG	Final Assays Received
19-1035-023	10557	10948	5165	24	220	-18	VG	Final Assays Received
19-1035-024	10557	10948	5165	75	254	-8	VG	Final Assays Received
19-1035-025	10557	10948	5165	75	253	-16	VG	Final Assays Received
19-1110-001	10636	10958	5216	84	185	-10	CP	Final Assays Received
19-1110-002	10636	10958	5216	81	185	6	CP	Final Assays Received
19-1110-003	10636	10958	5216	75	201	-10	CP	Final Assays Received
19-1110-004	10636	10958	5216	75	201	5	VG	Final Assays Received
19-1110-005	10636	10958	5216	63	177	-7	CP	Final Assays Received
19-1110-006	10636	10958	5216	60	180	13	CP	Final Assays Received
19-1110-007	10636	10958	5216	66	189	-2	CP	Final Assays Received
19-1110-008	10636	10958	5216	63	189	11	CP	Final Assays Received
19-1110-009	10636	10958	5216	69	193	-11	CP	Final Assays Received
19-1110-010	10636	10958	5216	69	193	17	VG	Final Assays Received
19-1110-011	10636	10958	5216	72	201	-3	CP	Final Assays Received
19-1110-012	10636	10958	5216	69	203	12	CP	Final Assays Received
19-1110-013	10636	10958	5216	72	206	-7	CP	Final Assays Received
19-1110-014	10636	10958	5216	72	206	1	VG	Final Assays Received
19-1110-015	10636	10958	5216	72	211	-3	CP	Final Assays Received
19-1110-016	10636	10958	5216	72	211	4	VG	Final Assays Received
19-1150-001	10670	10939	5216	63	188	-38		Final Assays Received
19-1150-002	10670	10939	5216	66	188	11	CP	Final Assays Received
19-1150-003	10670	10939	5216	66	212	0	CP	Final Assays Received
19-1150-004	10670	10939	5216	66	212	19	CP	Final Assays Received
19-1150-005	10670	10939	5216	33	188	-10	CP	Final Assays Received
19-1150-006	10670	10939	5216	33	188	30	CP	Final Assays Received
19-1160-001	10679	10934	5216	51	177	-43		Final Assays Received
19-1160-002	10679	10934	5216	51	177	-13	CP	Final Assays Received
19-1160-003	10679	10934	5216	48	177	-13	CP	Final Assays Received
19-1165-001	10685	10930	5216	54	150	-43	CP	Final Assays Received
19-5140-001	10525	10992	5140	585	247	-51	VG	Final Assays Received
19-5140-002	10529	10997	5138	402	15	-30	CP	Final Assays Received
19-5140-003	10529	10997	5138	600	347	-30	CP	Final Assays Received
19-5140-004	10525	10992	5140	540	65	-30	CP	Final Assays Received
19-5150-001	10595	10950	5147	181	230	-62	VG	Final Assays Received
19-5150-002	10595	10950	5147	150	222	-48	VG	Final Assays Received
19-5150-003	10595	10950	5147	102	205	-32	VG	Final Assays Received
19-5150-004	10595	10950	5147	56	227	-26	VG	Final Assays Received
19-5150-005	10595	10950	5147	132	170	-50	CP	Final Assays Received
19-5150-006	10595	10950	5147	274	178	-63	CP	Final Assays Received
19-5150-007	10595	10950	5147	90	182	-20	CP	Final Assays Received
19-5150-008	10595	10950	5147	102	152	-15	CP	Final Assays Received
19-5150-009	10595	10950	5147	63	232	-39	CP	Final Assays Received
19-5150-010	10595	10950	5147	51	228	-10	CP	Final Assays Received
FA-18-038	10458	11053	5260	915	240	-54	VG	Final Assays Received
FA-18-040	10459	11054	5261	803	246	-48	VG	Final Assays Received
FA-18-044EXT	10750	11130	5260	1015	195	-51	VG	Final Assays Received
FA-18-044W	10750	11130	5260	411	195	-51		Wedge cut failed. No samples.
FA-18-047EXT	10639	11139	5260	1000	210	-60	CP	Final Assays Received
FA-19-052	10121	10605	5258	833	35	-62	VG	Final Assays Received
FA-19-053	10432	11043	5260	978	262	-48	VG	Final Assays Received

FA-19-054	10195	10553	5258	783	360	-55	VG	Final Assays Received
FA-19-055	10732	10561	5261	415	260	-45	CP	Final Assays Received
FA-19-056	10195	10629	5258	666	360	-55	VG	Final Assays Received
FA-19-057	10732	10561	5261	487	200	-45	CP	Final Assays Received
FA-19-058	10195	10553	5258	303	190	-55		Final Assays Received
FA-19-059	10269	10578	5258	780	360	-61	VG	Final Assays Received
FA-19-060	10621	10606	5260	424	260	-45	CP	Final Assays Received
FA-19-061	10191	10704	5257	663	360	-55	CP	Final Assays Received
FA-19-062	10265	10653	5258	649	359	-58	VG	Final Assays Received
FA-19-063	10119	10528	5258	927	360	-55	VG	Final Assays Received
FA-19-064	10264	10726	5258	601	360	-55		Final Assays Received
FA-19-065	10119	10528	5258	960	11	-65	VG	Final Assays Received
FA-19-066	10337	10675	5258	565	360	-55		Final Assays Received
FA-19-067	10043	10579	5258	942	360	-55	VG	Final Assays Received
FA-19-068	10338	10601	5258	640	360	-55	CP	Final Assays Received
FA-19-069	10269	10578	5258	658	360	-57	VG	Final Assays Received
FA-19-070	10122	10605	5258	893	360	-55	VG	Further Assays pending
FA-19-071	10047	10732	5258	694	360	-56	CP	Final Assays Received
FA-19-072	10048	10657	5258	939	360	-55	VG	Final Assays Received
FA-19-073	9971	10633	5258	858	360	-55	VG	Final Assays Received
FA-19-074	10044	10808	5258	686	360	-55	VG	Final Assays Received
FA-19-075	10050	10505	5258	945	360	-55	VG	Final Assays Received
FA-19-076	9973	10784	5258	652	360	-55	CP	Final Assays Received
FA-19-077	10121	10681	5257	715	360	-55	VG	Final Assays Received
FA-19-078	10124	10453	5258	932	360	-55	VG	Final Assays Received
FA-19-079	10033	10942	5257	702	360	-57	CP	Final Assays Received
FA-19-080	9896	10685	5258	846	360	-55	VG	Final Assays Received
FA-19-081	10117	10756	5257	751	360	-55	VG	Final Assays Received
FA-19-082	9896	10685	5258	672	360	-49	VG	Final Assays Received
FA-19-083	12339	10754	5258	298	170	-50		Final Assays Received
FA-19-084	10341	10528	5259	723	360	-55	CP	Final Assays Received
FA-19-085	9828	10883	5260	619	360	-55	CP	Final Assays Received
FA-19-086	10192	10478	5258	849	360	-55	VG	Final Assays Received
FA-19-087	12339	10754	5258	903	215	-50	CP	Final Assays Received
FA-19-088	10269	10500	5258	117	360	-55		Final Assays Received
FA-19-089	9300	11179	5259	743	360	-55	VG	Final Assays Received
FA-19-090	10269	10500	5258	924	360	-62	VG	Final Assays Received
FA-19-091	12271	10914	5258	865	220	-50		Final Assays Received
FA-19-092	10267	10429	5259	999	360	-62	VG	Final Assays Received
FA-19-093	9450	11074	5259	719	360	-55	CP	Final Assays Received
FA-19-094	10197	10404	5259	927	360	-55	VG	Final Assays Received
FA-19-095	9450	11222	5259	766	360	-51	CP	Final Assays Received
FA-19-096	10121	10384	5259	957	360	-55	VG	Final Assays Received
FA-19-097	9829	10660	5259	719	360	-57	VG	Final Assays Received
FA-19-098	10052	10430	5259	936	360	-55	VG	Final Assays Received
FA-19-099	10268	10208	5259	1291	360	-62	VG	Final Assays Received
FA-19-100	9831	10516	5259	748	360	-57	VG	Final Assays Received
FA-19-101	10343	10449	10449	840	360	-55	VG	Final Assays Received
FA-19-102	9900	10610	5259	757	360	-57	VG	Final Assays Received
FA-19-103	10200	10329	5259	939	360	-56	VG	Final Assays Received
FA-19-104	10053	10221	5259	1173	360	-60	VG	Final Assays Received
FA-19-105	9300	11328	5259	696	360	-57	CP	Final Assays Received
FA-19-106	9970	10418	5259	954	360	-55	VG	Final Assays Received

⁽¹⁾ Drill holes containing visible gold ("VG") or chalcopryrite-bearing mineralized shear zone ("CP").