

Wallbridge Martiniere Gold Project: 2025 Phase 1 Drillhole Information

Drill Hole ID	Easting (NAD83)	Northing (NAD83)	Elevation (m)	Length (m)	EOH Depth (m)	Azimuth	Dip	VG ⁽¹⁾
MR-24-100_ext'n	642210	5543675	257	209	369	330	-45	VG
MR-24-110_ext'n	642600	5543145	257	305	471	360	-45	VG
MR-25-111	642365	5543120	256	558	558	360	-50	VG
MR-25-112	642130	5543365	258	501	501	10	-60	
MR-25-113	641725	5543675	258	489	489	350	-48	
MR-25-114	642500	5543600	257	351	351	350	-60	
MR-25-115	642640	5543800	257	252	252	360	-45	VG
MR-25-116	642600	5543145	257	477	477	360	-65	VG
MR-25-117	642945	5542975	254	399	399	360	-50	
MR-25-118	642690	5542565	256	300	300	360	-50	
MR-25-119	642275	5542610	255	369	369	360	-50	
MR-25-120	643115	5543640	252	258	258	360	-50	
MR-25-121	642235	5543161	257	651	651	355	-60	VG
MR-25-122	642765	5542904	255	597	597	360	-55	VG
MR-25-123	642265	5543300	258	477	477	359	-60	
MR-25-124	641990	5543821	256	344	344	7	-50	
MR-25-125	642165	5543764	255	309	309	360	-50	
MR-25-126	642765	5543715	257	375	375	360	-50	

⁽¹⁾ Drill holes containing visible gold ("VG"). ext'n = Extension drill hole.

Wallbridge Martiniere Gold Project: 2025 Phase 2A Drillhole Information

Drill Hole ID	Easting (NAD83)	Northing (NAD83)	Elevation (m)	Length (m)	EOH Depth (m)	Azimuth	Dip	VG ⁽¹⁾
MR-25-127	641480	5543800	257	402	402	360	-55	
MR-25-128	642365	5543120	256	226	226	355	-68	
MR-25-128-W1	642365	5543120	256	460	613	355	-68	VG
MR-25-129B	642235	5543161	257	750	750	353	-78	
MR-25-130A	642305	5543160	257	615	615	353	-65	
MR-25-131	642365	5543120	256	751	751	353	-78	

⁽¹⁾ Drill holes containing visible gold ("VG"). ext'n = Extension drill hole.

Martiniere Project 2025- Phase 2 Drill Assay Composite Summary ¹						
Drill Hole	VG* 2	From (m)	To (m)	Length ³ (m)	Au ⁴ (g/t)	Note
MARTINIERE NORTH -						
MR-25-127		0.0	22.6	22.6		OVERBURDEN
		22.6	25.5	2.9	0.03	
		25.5	26.7	1.2	0.23	
		26.7	72.2	45.5	0.02	
		72.2	73.2	1.0	0.38	
		73.2	112.5	39.4	0.04	
		112.5	114.0	1.5	0.50	
		114.0	200.0	86.0	0.02	
		200.0	201.5	1.5	0.19	
		201.5	283.0	81.5	0.01	
		283.0	284.0	1.0	0.31	
		284.0	298.3	14.3	0.02	
		298.3	299.5	1.2	0.33	
		299.5	350.5	51.0	0.05	
		350.5	351.0	0.5	0.91	
		351.0	373.5	22.5	0.05	
		373.5	375.0	1.5	0.20	
		375.0	402.0	27.0	0.02	
DRAGONFLY - -						
MR-25-128		0.0	17.7	17.7		OVERBURDEN
		17.7	78.6	60.9	0.03	
		78.6	79.2	0.7	0.82	
		79.2	105.4	26.2	0.02	
		105.4	106.2	0.8	0.52	
		106.2	153.0	46.9	0.03	
		153.0	156.0	3.0		SAMPLE GAP
		156.0	160.7	4.7	0.04	
		160.7	178.0	17.3		SAMPLE GAP
		178.0	179.0	1.0	1.07	
		179.0	196.5	17.5	0.04	
		196.5	226.0	29.5		SAMPLE GAP
MR-25-128-W1		150.0	153.0	3.0		OVERBURDEN
		153.0	175.2	22.2	0.02	
		175.2	176.0	0.8	0.29	
		176.0	192.1	16.1	0.07	
		192.1	193.0	0.9	0.36	

Martiniere Project 2025- Phase 2 Drill Assay Composite Summary ¹						
Drill Hole	VG* 2	From (m)	To (m)	Length ³ (m)	Au ⁴ (g/t)	Note
		193.0	251.7	58.7	0.02	
		251.7	253.3	1.6	0.33	
		253.3	398.3	145.0	0.01	
		398.3	398.8	0.5	0.35	
		398.8	426.5	27.8	0.03	
		426.5	430.4	3.9	0.22	
		430.4	432.7	2.3	2.14	
	<i>Including</i>	<i>430.4</i>	<i>431.2</i>	<i>0.8</i>	<i>1.40</i>	
		<i>431.2</i>	<i>432.7</i>	<i>1.5</i>	<i>2.54</i>	
		432.7	437.2	4.5	0.38	
		437.2	440.2	3.0	0.05	
		440.2	441.7	1.5	0.53	
		441.7	461.2	19.5	0.06	
		461.2	461.7	0.5	0.73	
		461.7	462.2	0.5	0.03	
		462.2	462.5	0.3		SAMPLE GAP
		462.5	463.0	0.5	0.02	
	*	463.0	467.7	4.7	5.99	
	<i>Including</i>					
	*	<i>463.0</i>	<i>463.5</i>	<i>0.5</i>	<i>3.74</i>	
		<i>463.5</i>	<i>467.2</i>	<i>3.7</i>	<i>1.33</i>	
	*	<i>467.2</i>	<i>467.7</i>	<i>0.5</i>	<i>42.70</i>	
		467.7	471.2	3.5	0.23	
		471.2	477.1	5.9	0.05	
		477.1	478.2	1.1	0.40	
		478.2	485.0	6.9	0.08	
		485.0	489.0	4.0	0.28	
		489.0	502.5	13.5	0.12	
		502.5	504.0	1.5	0.63	
		504.0	526.9	22.9	0.05	
		526.9	528.4	1.5	1.85	
		528.4	537.5	9.1	0.06	
		537.5	540.5	3.0	0.27	
		540.5	543.5	3.0	0.09	
		543.5	545.5	2.0	0.15	
		545.5	546.5	1.0	1.53	
		546.5	548.5	2.0	0.61	
		548.5	555.6	7.1	0.04	

Martiniere Project 2025- Phase 2 Drill Assay Composite Summary ¹						
Drill Hole	VG* 2	From (m)	To (m)	Length ³ (m)	Au ⁴ (g/t)	Note
		555.6	557.0	1.4	0.23	
		557.0	571.0	14.0	0.05	
		571.0	573.0	2.0	0.92	
		573.0	576.2	3.2	0.81	
		576.2	578.0	1.8	0.39	
		578.0	589.0	11.0	0.12	
		589.0	592.8	3.8	0.35	
		592.8	594.1	1.4	2.32	
		594.1	595.6	1.5	0.39	
		595.6	600.5	4.9	0.12	
		600.5	613.0	12.5	0.04	
MR-25-129B		0.0	64.6	64.6		OVERBURDEN
		64.6	67.5	2.9	0.01	
		67.5	69.0	1.5	0.16	
		69.0	107.0	38.0	0.02	
		107.0	108.7	1.7	0.28	
		108.7	124.0	15.3	0.04	
		124.0	126.4	2.4	0.28	
		126.4	280.3	153.9	0.02	
		280.3	282.0	1.7	0.74	
		282.0	284.7	2.7	0.05	
		284.7	286.5	1.8	0.33	
		286.5	328.7	42.1	0.03	
		328.7	332.0	3.4	6.13	
	<i>Including</i>	<i>328.7</i>	<i>329.4</i>	<i>0.8</i>	<i>9.99</i>	
		<i>329.4</i>	<i>331.0</i>	<i>1.6</i>	<i>1.15</i>	
		<i>331.0</i>	<i>332.0</i>	<i>1.0</i>	<i>11.20</i>	
		332.0	334.0	2.0	0.17	
		334.0	383.9	49.9	0.02	
		383.9	386.9	3.0	0.23	
		386.9	408.6	21.7	0.03	
		408.6	409.2	0.6	0.64	
		409.2	413.0	3.8	0.04	
		413.0	414.0	1.0	0.47	
		414.0	420.0	6.0	0.05	
		420.0	423.0	3.0	0.21	
		423.0	426.0	3.0	0.08	
		426.0	426.7	0.7	0.29	

Martiniere Project 2025- Phase 2 Drill Assay Composite Summary¹

Drill Hole	VG* 2	From (m)	To (m)	Length ³ (m)	Au ⁴ (g/t)	Note
		426.7	431.0	4.3	0.05	
		431.0	432.5	1.5	3.49	
<i>Including</i>		431.0	432.0	1.0	0.45	
		432.0	432.5	0.5	9.57	
		432.5	441.0	8.5	0.06	
		441.0	443.0	2.0	0.59	
		443.0	444.6	1.6	0.36	
		444.6	449.0	4.4	0.61	
		449.0	451.0	2.0	0.19	
		451.0	452.0	1.0	7.85	
		452.0	459.0	7.0	0.05	
		459.0	460.0	1.0	0.25	
		460.0	481.0	21.0	0.05	
		481.0	482.5	1.5	2.54	
<i>Including</i>		481.0	482.0	1.0	0.55	
		482.0	482.5	0.5	6.51	
		482.5	495.0	12.5	0.03	
		495.0	496.5	1.5	13.60	
		496.5	498.0	1.5	0.22	
		498.0	507.0	9.0	0.02	
		507.0	514.5	7.5	0.20	
		514.5	520.0	5.5	2.31	
<i>Including</i>		514.5	516.0	1.5	1.67	
		516.0	520.0	4.0	2.55	
		520.0	522.0	2.0	0.58	
		522.0	540.0	18.0	0.02	
		540.0	542.5	2.5	0.14	
		542.5	544.0	1.5	3.91	
		544.0	550.5	6.5	0.21	
		550.5	552.0	1.5	3.16	
		552.0	556.5	4.5	0.50	
		556.5	562.5	6.0	0.04	
		562.5	564.6	2.1	1.14	
		564.6	567.0	2.4	0.42	
		567.0	570.0	3.0	0.76	
		570.0	571.1	1.1	3.38	
		571.1	575.0	3.9	0.12	
		575.0	578.0	3.0	0.52	

Martiniere Project 2025- Phase 2 Drill Assay Composite Summary ¹						
Drill Hole	VG* 2	From (m)	To (m)	Length ³ (m)	Au ⁴ (g/t)	Note
		578.0	585.0	7.0	0.05	
		585.0	587.5	2.5	0.37	
		587.5	604.0	16.5	0.06	
		604.0	606.0	2.0	13.24	
<i>Including</i>		604.0	605.0	1.0	19.30	
		605.0	606.0	1.0	7.18	
		606.0	608.0	2.0	0.20	
		608.0	619.5	11.5	0.05	
		619.5	621.0	1.5	0.56	
		621.0	625.5	4.5	0.06	
		625.5	627.0	1.5	0.74	
		627.0	640.0	13.0	0.09	
		640.0	641.0	1.0	0.87	
		641.0	645.0	4.0	0.08	
		645.0	649.0	4.0	0.36	
		649.0	661.5	12.5	0.07	
		661.5	663.0	1.5	0.36	
		663.0	666.8	3.8	0.06	
		666.8	668.0	1.2	1.38	
		668.0	683.2	15.2	0.06	
		683.2	684.0	0.9	1.89	
		684.0	690.0	6.0	0.02	
		690.0	692.0	2.0	1.24	
		692.0	698.0	6.0	0.05	
		698.0	699.3	1.3	1.24	
		699.3	702.2	2.9	0.06	
		702.2	708.0	5.8	0.12	
		708.0	709.0	1.0	2.52	
		709.0	715.5	6.5	0.09	
		715.5	719.0	3.5	0.34	
		719.0	723.0	4.0	0.08	
		723.0	729.0	6.0	0.44	
		729.0	734.0	5.0	1.22	
		734.0	736.6	2.6	0.53	
		736.6	747.8	11.2	0.03	
		747.8	750.0	2.2	1.73	
MR-25-130A		0.0	24.1	24.1		<i>OVERBURDEN</i>
		24.1	154.2	130.2	0.03	

Martiniere Project 2025- Phase 2 Drill Assay Composite Summary ¹						
Drill Hole	VG* 2	From (m)	To (m)	Length ³ (m)	Au ⁴ (g/t)	Note
		154.2	155.3	1.1	0.33	
		155.3	193.0	37.7	0.03	
		193.0	194.0	1.0	0.45	
		194.0	216.3	22.3	0.02	
		216.3	222.3	6.0	0.28	
		222.3	339.3	117.0	0.01	
		339.3	340.5	1.2	0.46	
		340.5	351.0	10.5	0.01	
		351.0	352.3	1.3	0.15	
		352.3	355.9	3.6	4.30	
<i>Including</i>		352.3	354.0	1.7	3.48	
		354.0	354.5	0.5	11.30	
		354.5	355.9	1.4	2.80	
		355.9	389.3	33.4	0.02	
		389.3	390.5	1.1	0.38	
		390.5	404.0	13.6	0.06	
		404.0	407.1	3.1	0.30	
		407.1	429.7	22.6	0.04	
		429.7	434.0	4.3	0.36	
		434.0	481.0	47.0	0.03	
		481.0	482.0	1.0	0.29	
		482.0	484.0	2.0	11.12	
<i>Including</i>		482.0	483.0	1.0	2.54	
		483.0	484.0	1.0	19.70	
		484.0	520.5	36.5	0.02	
		520.5	521.8	1.3	0.38	
		521.8	525.1	3.3	2.57	
<i>Including</i>		521.8	522.4	0.6	7.66	
		522.4	525.1	2.7	1.44	
		525.1	552.0	26.9	0.07	
		552.0	554.5	2.5	0.27	
		554.5	560.5	6.0	0.05	
		560.5	562.0	1.5	0.57	
		562.0	589.0	27.0	0.06	
		589.0	590.5	1.5	0.33	
		590.5	610.8	20.3	0.02	
		610.8	611.3	0.5	0.71	
		611.3	613.0	1.7	0.06	

Martiniere Project 2025- Phase 2 Drill Assay Composite Summary ¹						
Drill Hole	VG* 2	From (m)	To (m)	Length ³ (m)	Au ⁴ (g/t)	Note
		613.0	613.8	0.8	1.03	
		613.8	615.0	1.2	0.03	
MR-25-131		0.0	18.0	18.0		OVERBURDEN
		18.0	36.7	18.7	0.02	
		36.7	42.7	6.1	0.22	
		42.7	139.0	96.3	0.03	
		139.0	142.0	3.0	0.35	
		142.0	247.7	105.7	0.03	
		247.7	250.2	2.5	1.04	
		250.2	256.4	6.2	0.05	
		256.4	257.8	1.4	0.62	
		257.8	273.9	16.1	0.07	
		273.9	276.1	2.2	0.24	
		276.1	286.2	10.1	0.06	
		286.2	294.2	8.0	0.15	
		294.2	378.0	83.8	0.03	
		378.0	379.0	1.0	0.51	
		379.0	462.5	83.5	0.04	
		462.5	466.0	3.5	1.02	
		466.0	476.0	10.0	0.24	
		476.0	477.0	1.0	6.79	
		477.0	483.0	6.0	0.28	
		483.0	485.5	2.5	1.86	
		485.5	491.0	5.5	0.18	
		491.0	492.0	1.0	1.05	
		492.0	498.0	6.0	0.11	
		498.0	508.0	10.0	0.03	
		508.0	509.9	1.9	0.37	
		509.9	510.4	0.5	5.77	
		510.4	513.0	2.6	0.08	
		513.0	513.5	0.5	4.61	
		513.5	515.5	2.0	0.12	
		515.5	516.1	0.6	1.83	
		516.1	526.4	10.3	0.04	
		526.4	528.4	2.0	0.21	
		528.4	530.0	1.6	1.21	
		530.0	532.8	2.8	0.04	
		532.8	535.0	2.3	2.81	

Martiniere Project 2025- Phase 2 Drill Assay Composite Summary ¹						
Drill Hole	VG* ²	From (m)	To (m)	Length ³ (m)	Au ⁴ (g/t)	Note
M001		535.0	545.9	10.9	0.02	
		545.9	547.1	1.2	0.42	
		547.1	550.4	3.3	14.58	
		547.1	548.0	0.9	45.40	
		548.0	549.8	1.8	2.12	
		549.8	550.4	0.6	5.75	
		550.4	553.1	2.7	0.18	
		553.1	600.7	47.6	0.04	
		600.7	606.8	6.1	0.13	
		606.8	608.6	1.8	0.68	
		608.6	629.5	20.9	0.05	
		629.5	635.5	6.0	0.19	
		635.5	677.7	42.2	0.06	
		677.7	679.5	1.8	0.65	
		679.5	751.0	71.5	0.04	
Notes						
1	Assay highlights have been selected based on a combination of criteria, including observable mineralization and/or having a Metal Factor ≥5 gm*m (MF = Au g/t * Interval length).					
2	Asterisk * denotes visible gold (VG) observed in drill core.					
3	Reported drill hole depths and interval lengths have been rounded to the nearest 0.1 metres. As a result, interval lengths may vary slightly from differences calculated directly from drill hole depths reported here.					
4	True widths are estimated to be 60-90% of the reported core length intervals.					
Composites highlighted in bold are part of the Assay Highlights.						