



2020 Precious Metals Summit Beaver Creek (Virtual)

September 15–17, 2020

A GOLDEN OPPORTUNITY FOR GROWTH

Unlocking the Value ...

Strategic Land Package...


Along The Detour-Fenelon Gold Trend...



Disclaimer

- This document may contain forward-looking statements (including "forward-looking information" within the meaning of applicable Canadian securities legislation and "forward-looking statements" within the meaning of the US Private Securities Litigation Reform Act of 1995) relating to, among other things, the operations of Wallbridge and the environment in which it operates. Generally, forward-looking statements can be identified by the use of words such as "plans", "expects" or "does not expect", "is expected", "budget", "scheduled", "estimates", "forecasts", "intends", "anticipates" or "does not anticipate", or "believes", or variations of such words and phrases or statements that certain actions, events or results "may", "could", "would", "might" or "will be taken", "occur" or "be achieved".
- Wallbridge has relied on a number of assumptions and estimates in making such forward-looking statements, including, without limitation, the ability to acquire the necessary permits and approvals to advance the Fenelon Property toward production, the ability to add to the existing resource base at Fenelon through drilling, the costs associated with the development and operation of its properties.
- Such assumptions and estimates are made in light of the trends and conditions that are considered to be relevant and reasonable based on information available and the circumstances existing at this time. A number of risk factors may cause actual results, level of activity, performance or outcomes of such exploration and/or mine development to be materially different from those expressed or implied by such forward-looking statements including, without limitation, whether such discoveries will result in commercially viable quantities of such mineralized materials, the possibility of changes to project parameters as plans continue to be refined, the ability to execute planned exploration and durure development efforts, changes in general economic, market and business conditions, and those other risks set forth in Wallbridge's most recent annual information form under the heading "Risk Factors" and in its other public filings. Forward-looking statements are not guarantees of future performance and such information is inherently subject to known and unknown risks, uncertainties and other factors that are difficult to predict and may be beyond the control of Wallbridge. Although Wallbridge has attempted to identify important risks and factors that cause actual actions, events or results not to be as anticipated, estimated or intended. Consequently, undue reliance should not be placed on such forward-looking statements. In addition, all forward-looking statements in this press release are given as of the date hereof.
- Wallbridge disclaims any intention or obligation to update or revise any forward-looking statements, whether as a result of new information, future events or otherwise, save and except as may be required by applicable securities laws. The forward-looking statements contained herein are expressly qualified by this disclaimer.
- Technical information in this presentation has been reviewed and approved by Marz Kord, P. Eng., M. Sc., MBA, President & CEO and Attila Péntek, P.Geo., Ph.D., Vice President Exploration who are both Qualified Persons for Wallbridge under the definitions established by National Instrument 43-101.
- Portions of this presentation had been prepared by Balmoral Resources Ltd. Prior to the acquisition by Wallbridge with effective date of May 22, 2020. Please see complete information on SEDAR (www.sedar.com).
- This presentation is for information purposes only and is not a solicitation. Please consult Wallbridge for complete information and a Registered Investment Representative prior to making any investment decisions. This presentation reports on the technical details of the company's projects up to March 2, 2020.
- Inferred Resources may be reported. The US Securities and Exchange Commission does not recognize the reporting of Inferred Resources. These resources are reported under Canadian National Instrument 43-101 and have a great amount of uncertainty and risk as to their existence and economic and legal feasibility. It cannot be assumed that all or any part of Inferred Resources will ever be upgraded to a higher category. Under Canadian Rules estimates of Inferred Mineral Resources may not form the sole basis of feasibility studies or pre-feasibility studies. INVESTORS ARE CAUTIONED NOT TO ASSUME THAT PART OR ALL OF AN INFERRED RESOURCE EXISTS, OR ARE ECONOMICALLY OR LEGALLY MINEABLE.
- The TSX has not reviewed and does not accept responsibility for the accuracy or adequacy of this presentation, which has been prepared by management. There can be no assurance that any of the assumptions in the resource estimates will be supported by a Pre-feasibility or Feasibility Study or that any forward looking event will come to pass. The data is incomplete and considerable additional work will be required to complete further evaluation, including but not limited to drilling, engineering and socio-economic studies and investment.
- Past performance is no guarantee of future performance and all investors are urged to consult their investment professionals before making an investment decision. Investors are further cautioned that past performance is no guarantee of future performance.
- The Companies may access safe harbor rules.
- Covid-19 Given the rapidly evolving nature of the Coronavirus (COVID-19) pandemic, Wallbridge is actively monitoring the situation in order to continue to maintain as best as possible the activities while striving to protect the health of its personnel. Wallbridge' activities will continue to align with the guidance provided by local, provincial and federal authorities in Canada. The company has established measures to continue normal activities while protecting the health of its employees and stakeholders. Depending on the evolution of the virus, measures may affect the regular operations of Wallbridge and the participation of staff members in events inside or outside Canada.

Detour – Fenelon Gold Trend



Wallbridge Mining ______ TSX: WM ____

A Compelling Investment Opportunity

Wallbridge's Recent Acquisition of Balmoral Resources and Option with Midland Exploration:

- Expands Fenelon Gold land package from 10.5 km² to 85.6 km²
- Expands total land position to over 900 km² along highly prospective, underexplored Detour-Fenelon Gold Trend immediately east of the Detour Lake gold mine
- Combines contiguous properties that can be explored and potentially developed as one project



MULTI-MILLION OUNCE POTENTIAL

Drilling programs demonstrating Fenelon Gold's expanding footprint

Fully-funded 100,000-metre 2020 drilling program underway



DISTRICT-SCALE LAND PACKAGE

>900 km² on under-explored Detour-Fenelon Gold Trend

Pipeline of exploration projects with strong potential for new discoveries (gold and base metals)



TOP RATED MINING JURISDICTION

Favourable business climate & immense exploration potential in Quebec & Ontario

Experienced work force, excellent infrastructure, and community support



KEY STRATEGIC SHAREHOLDERS

Strong support from major shareholders: Eric Sprott & Kirkland Lake Gold and William Day Construction

Well positioned to access capital with a strong cash position

Fenelon Gold System – Multiple Mineralized Zones


Fenelon Gold System to Date

Fast-tracked exploration since 2016 acquisition:

Over 160,000 metres of drilling

Bulk sample of 33,500 tonnes at 18.5 g/t

- Strike length of 1.8 km identified so far, north of the regional Sunday Lake Deformation Zone (SLDZ)
- Known extent of mineralization from surface to 850 m vertical depth, no testing below
- Four (4) mineralized environments identified to date
 - Gabbro Zones
 - Tabasco-Cayenne Zones (discovered in 2018/2019)
 - Area 51 Zones (discovered in 2019)
 - Ripley-Reaper Zones (discovered in 2019/2020)
- Strong potential to further expand the Fenelon Gold mineralized system; all zones remain open
- Robust, fully-funded, 100,000-metre 2020 drill program underway




Fenelon Gold, Plan view Magnetics Background

Fenelon Gold – Gabbro Zones

Gabbro Zones

- High-grade mineralization from near surface to 250 metres; remains open
- Bulk sample of 33,500 tonne at 18.5 g/t gold (2018-19) demonstrated gold recovery of 98%
- Exploration drift to 125 m below surface for exploration drilling and 4 new development levels established
- Potential for near-term production, permitting underway

Fenelon Gold 2018/2019 Bulk Sample Stopes Summary Table							
D.::t-/c	N	1ill Reconcile	ed				
Drift/Stope material	Tonnes	Au g/t	Contained Au Ounces	Recovered Au Ounces	Recovery	Mill Run#	
CH-01 Stope	4,823	16.82	2,608	2,120	81%	1 & 2	
Development Ore	4,615	16.03 2,378		2,362	99%	1, 2, 3, & 4	
NV-01 Stope	4,852	10.94	1,706	1,696	99%		
CH-02 Stope	1,368	18.34	806	802	99%	2 & 3	
NV-02 Stope	2,736	17.99	1,582	1,572	99%		
NV-03 Stope	4,453	38.33	5,488	5,450	99%	4	
NV-04/05 Stope	10,386	15.53	5,186	5,035	97%	5	
Total	33,233	18.49	19,755	19,037			



Fenelon Gold –Tabasco/Cayenne Zones

Tabasco/ Cayenne Zones

- High-grade shear zones trending NW-SE dipping steeply south
- Hosted in sediments and along the Jeremie Pluton contact
- Mineralization from near-surface to vertical depth of 850 m (untested below that depth)
- Tabasco and Cayenne widen at depth (below 400 m) to become Lower Tabasco Zone
- Best gold intervals associated with silicification potassic alteration, grey quartz veins and sulphide mineralization

19-0915-011, Area 51 Andromeda

1.01 g/t Au over 132.00 m, incl. 20.05 g/t Au over 3.88 metres (January 20, 2020 press release)


FA-19-086, Lower Tabasco Zone

22.73 g/t Au (18.87 g/t Au cut) over 48.01 m, incl. 34.14 g/t Au (33.62 g/t Au cut) over 9.81 m, and 32.22 g/t Au (24.33 g/t Au cut) over 22.87 m, (December 03, 2019 press release)

FA-19-094, Lower Tabasco and Cayenne Zones

32.18 g/t Au (21.56 g/t Au cut) over 9.70 m, incl. 58.81 g/t Au (38.21 g/t Au cut) over 5.00 m, 4.61 g/t Au over 15.60 m, and 14.11 g/t Au over 2.20 m


(January 06 and March 04, 2020 press releases)




Cross Section 10200_E - Looking West

Wallbridge Mining _____ TSX: WM ____


Fenelon Gold –Tabasco/Cayenne Zones






Wallbridge Mining _____ TSX: WM ____


Fenelon Gold – Tabasco/Cayenne Zones



- Lower Cayenne high-grade in hole FA-20-148 (24.61 g/t Au over 15 m) is approximately 260 metres down plunge from the high-grade intersection in hole FA-19-059 (17.58 g/t Au over 11.04 m)
- Cayenne is located approximately 100 metres north of Tabasco and therefore easily accessed with same future underground infrastructure




Fenelon Gold – Tabasco/Cayenne Zones and Area 51



10

Fenelon Gold – Area 51 Open Pit Potential

- Open pit potential in western parts of Area 51, where mineralization comes right to surface
- In-fill drilling program commenced in Q1 2020 to test grade continuities and inform mining methods to use in mine planning




11

Wallbridge Mining TSX: WM

Fenelon Gold – Area 51 Open Pit & Underground Potential


- Open pit potential in western parts of Area 51, where mineralization comes right to surface
- Area 51 plunges to the NE, toward the Tabasco/Cayenne Zones
- High-grade selective or bulk mining at depth; in proximity to Tabasco/Cayenne
- In-fill drilling program commenced in Q1 2020 to test grade continuities and inform mining methods to use in mine planning



Wallbridge Mining


Fenelon Gold System – Expanding the Known Footprint

- Balmoral's recent discovery of the Ripley and Reaper gold zones in the extensions of Wallbridge's Fenelon Gold System
- The acquisition of Balmoral by Wallbridge combined the properties and provides room for growth
- Exploration drilling by Wallbridge on the newly acquired ground continues to expand the known footprint of the mineralized zones
- 1.8 km strike length of mineralized Jeremie Diorite outlined so far



Wallbridge Mining

Top Jurisdiction – Strategic Location




- Dominant land package along 90 km strike length of the Detour-Fenelon Gold Trend
- Casault Option with Midland filled strategic gap between Martiniere and Detour East

Wallbridge Mining TSX: WM

14

TOWARDS A LARGE RESOURCE UNDER 5 YEARS 2017-2021




Wallbridge Mining _____ TSX: WM ____

15

Robust 2020-21 Drilling Program

Fenelon Gold Drilling Program

- 80,000 m resource drilling focused on Area 51 and Tabasco-Cayenne Zones in 2020 (60% complete)
- 20,000 m exploration drilling focused on following up Ripley/Reaper Zones and test extensions of the Fenelon Gold zones (70% complete)
- +100,000 m planned for 2021
- Define + 1 Moz UG mineral resource
- Demonstrate open pit resource potential of Area 51
- NI 43-101 maiden resource by mid-2021
- Continue expanding footprint of the Fenelon Gold System



Wallbridge – A Compelling Investment

Demonstrating Fenelon
Gold's potential for a
multimillion-ounce
gold deposit

+100,000 m Drilling
Program &
Maiden Mineral Resource
10% Regional Exploration

2021

100,000 m Drilling Program

2020



Sustainable Gold Production

Development & Construction

Economic Studies

PEA ► FS

Experienced management team focused on creating value for shareholders

Wallbridge Mining

Supportive Shareholder Base


CAPITAL STRUCTURE

August 31st, 2020


Trading Symbol	TSX:WM
52-Week Trading Range	\$0.31-\$1.35
Shares Outstanding – Basic	732.4M
Shares Outstanding – Fully-diluted*	753.0M
Cash (at June 30, 2020)	~\$42.5M

^{*10,167,924} options outstanding with an exercise price of \$0.574 and a weighted average life of 3.2 years

SHARE OWNERSHIP



STRONG SHARE PERFORMANCE



18

ANALYST COVERAGE

Eight Capital	David A. Talbot			
Paradigm Capital	Don Blyth			
RedCloud	Jacob Willoughby			

Source: BMO Capital Markets, FactSet

^{*4,102,368} warrants outstanding with an exercise price of \$0.493 and a weighted average life of 1.2 years

^{*6,357,051} deferred stock units outstanding

Questions?

BOARD

Shawn Day
Parviz Farsangi
W. Warren Holmes
Marz Kord
Anthony Makuch
Michael Pesner
Darryl Sittler
Alar Soever
Janet Wilkinson

MANAGEMENT

Marz Kord, President and CEO Brian Penny, CFO Frank Demers, VP Mining Attila Péntek, VP Exploration Mary Montgomery, VP Finance Sean Stokes, Corporate Secretary



19

Wallbridge Mining _____ TSX: WM

Appendix 20 Wallbridge Mining


Advanced Project on Detour-Fenelon Gold Trend – Martiniere

Martiniere Project

 Initial mineral resource estimate in 2018 which included the Bug and Martiniere West deposits

Indicated Mineral Resource							
Cut-off grade (g/t)	Tonnage (Mt)	Grade (g/t Au)	Contained Gold				
Constrained Open Pit @ US\$1,300/oz							
0.5	6.827	1.96	431,000				
Underground							
2.5	1.092	4.54	159,000				

- Resource estimate based a gold price of US\$1,300/oz and features a 2 g/t starter pit option
- Both deposits open to depth; UG high-grade resource potential
- Indicated resource at Martiniere sits above the depth level of the recent high-grade intersections from Lower Tabasco Zone
- Numerous other high-grade, near-surface, gold discoveries



Note: See Resource Estimate Assumption and Notes in the Appendix

Ni-Cu-PGM Projects in Sudbury, Ontario – Unlocking Value

Strategic Ni-Cu-PGM Land Package in Sudbury

- 40 properties totaling 404 km²
- Operated through agreement with Lonmin Canada Inc., subsidiary of Sibanye-Stillwater

Priority Projects:

Denison – Past producing Crean Hill mine (closed in 2002; Recent drilling intersections include:


1.69% Ni, 2.28% Cu and 2.37 g/t Pt, Pd and Au over 8.23 m in 99 Shaft zone

1.87% Ni, 0.95% Cu and 3.14 g/t Pt, Pd and Au over 6.16 m in 109 West zone

Parkin – Past producing Milnet mine; 2002 historic surface resource; new discoveries not in resource

4.11% Ni, 0.60% Cu and 4.31 g/t Pt, Pd and Au over 8.00 m at Milnet 1500

1.22% Ni, 1.50% Cu and 2.15 g/t Pt, Pd and Au over 24.30 m at Parkin




Unlocking the value of these assets


Advanced Project on Detour-Fenelon Gold Trend – Grasset

Grasset Project

- One of the largest undeveloped nickel sulphide deposits in the Abitibi region
- Balmoral outlined ~15.6 Mt of nickel sulphide mineralization open along strike and at depth
- Initial resource estimate in 2016 outlined a high-grade Indicated resource of 3.45 Mt @ 1.8% NiEq (1.6% Ni) in a favourable configuration for underground mining (using US\$6.56/lb Ni)
- 2018 drilling extended H1 Zone of the deposit to 800 vertical m (an increase of over 300 m); both H1 and H3 Zones remain open at depth

>1.00% NiEq		Tonnes (t)	NiEq (%)	Ni (%)	Cu (%)	Co (%)	Pt (g/t)	Pd (g/t)	Contained Ni Eq (lbs)	Contained Ni (lbs)
INDICATED	Horizon1	35,900	1.09	0.98	0.11	0.03	0.16	0.38	865,800	772,600
	Horizon 2	3,416,600	1.80	1.57	0.17	0.03	0.34	0.85	135,413,200	118,316,800
	Total Indicated	3,452,500	1.79	1.56	0.17	0.03	0.34	0.84	136,279,000	119,089,400
INFERRED	Horizon 1	4,700	1.08	0.96	0.11	0.03	0.17	0.39	111,500	99,400
	Horizon 3	86,400	1.20	1.06	0.11	0.02	0.20	0.48	2,282,400	2,027,600
	TOTAL INFERRED	91,100	1.19	1.06	0.11	0.02	0.20	0.48	2,393,900	2,126,900





Note: See Resource Estimate Assumption and Notes in the Appendix

Martiniere Project - Initial Resource Estimate Assumptions and Notes

- The Independent and Qualified Person for the Mineral Resource Estimate, as defined by NI 43-101, is Mr. Marc Jutras, P.Eng., M.A..Sc., Principal of Ginto Consulting Inc. The effective date of the Estimate is March 27, 2018
- These mineral resources are not mineral reserves as they do not have demonstrated economic viability.
- While the results are presented undiluted, the reported mineral resources are considered to have reasonable prospects for eventual economic extraction. The near surface mineral resource is constrained within an optimized open pit shell, while the below pit portion of the mineral resource is reported at an elevated gold grade cut-off
- The estimate includes several discrete zones/sub-zones of mineralization.
- Resources were compiled at gold cut-off grades of 0.5, 0.7 and 1.0 g/t gold for the evaluation of open pit estimates and at 2.0, 2.5 and 3.0 g/t gold for evaluation of underground estimates (see table below). The base case resource estimate is reported at a cut-off grade of 0.5g/t gold for resources constrained within the optimized pit shell and 2.5 g/t gold for resources outside the pit shell.
- Cut-off calculations for calculating the base case resource used: (all USD figures) \$1.80/t for overburden removal, \$2.00/t for open pit mining, \$50.00/t for underground mining, \$17.00/t for Processing (for both open pit and underground scenario's), \$2.50/t for G&A costs and mill recovery rates of 91%.
- Gold recovery rates of up to 91% have been achieved in limited testing for the Bug deposit. The Bug deposit comprises the majority of the estimated resource. Gold recoveries of up to 97% to concentrate, and 72% overall, have been achieved in preliminary testing of the Martiniere West Deposit.
- For the open pit scenario pit slopes of 50 degrees were assumed in bedrock and 25 degrees in overburden.
- Calculations used a USD/CAD exchange rate of 1.22 and a gold price of US\$1,300 in keeping with current long-term consensus estimates.
- Cut-off grade calculations would have to be re-evaluated in light of future prevailing market conditions (metal prices, exchange rate, and mining costs).
- Density values were estimated for all lithological units from measured samples. Density values for the mineralized zones were calculated from a measured density database.
- The resource was estimated using Vulcan software. The estimate is based on results from 490 diamond drill holes (91,988 m). The cut-off date for the drill hole database is January 30, 2018.
- · High grade capping was done on composited assay data and established on a per zone basis.
- · Compositing was done on drill hole intercepts falling within the mineralized zones (composite length of 1.0 m).
- Resources were evaluated from composited and capped drill hole assays using 3-pass ordinary kriging and inverse distance squared interpolation methods in a block model (block size = 2.5 x 2.5 x 2.5 m).
- The Mineral Resources presented herein are categorized as Indicated and Inferred based on drill spacing and geological and grade continuity. Based on the nature of the mineralization, a maximum average distance of composites of 40 m was used for Indicated resources in the Bug Deposit and 35 m in the Martiniere West Deposit.
- Ounce (troy) = metric tonnes x grade / 31.10348. Calculations used metric units (metres, tonnes and g/t). Metal contents are presented in ounces.
- The number of metric tonnes and contained ounces were rounded to the nearest thousand. Any discrepancies in the totals are due to rounding effects
- The quantity and grade of reported Inferred resources in this Mineral Resource Estimate are uncertain in nature and there has been insufficient exploration to define these Inferred resources as Indicated or Measured, and it is uncertain if further exploration will result in upgrading them to these categories.
- CIM definitions and guidelines for mineral resources have been followed.
- The Qualified Persons are not aware of any known environmental, permitting, legal, title-related, taxation, socio-political or marketing issues, or any other relevant issue, that could materially affect the Mineral Resource Estimate

Grasset Project - Initial Resource Estimate Assumptions and Notes

- The Independent and Qualified Persons for the Mineral Resource Estimate, as defined by NI 43-101, are Mr. Pierre-Luc Richard, P.Geo., M.Sc., and Mr. Carl Pelletier, P.Geo., B.Sc., both of InnovExplo Inc. The effective date of the Estimate is January 12, 2016
- These mineral resources are not mineral reserves as they do not have demonstrated economic viability.
- While the results are presented undiluted and in situ, the reported mineral resources are considered to have reasonable prospects for eventual economic extraction.
- The estimate includes two (2) mineralized zones (Horizon 1 and Horizon 3).
- Resources were compiled at NiEq cut-off grades of 0.30%, 0.40%, 0.50%, 0.60%, 0.70%, 0.80%, 0.90%, 1.00%, 1.10%, 1.20%, 1.30%, 1.40%, 1.50%, and 2.00%. The official resource potential is reported at a 1.00% NiEq cut-off grade.
- Cut-off calculations used: CAD 48.00\$ Mining, 6.00\$ Maintenance, 10.00\$ G&A, 22.00\$ Mining for a total of 86.00\$ operating costs. A dilution factor of 7.5% was also applied to the cut-off grade calculation.
- *NiEq = [[(NiGrade(%) x NiCR(%) x NiPayable(%) x NiPrice(\$))] + (CuGrade(%) x CuCR(%) x CuPayable(%) x CuPrice(\$)) + (CoGrade(%) x CoCR(%) x CoPrice(\$))] x 2205 + [(PtGrade(g/t) x PtCR(%) x PtPayable(%) x PtPrice(\$))] / (NiPayable(%) x NiCR(%) x NiPrice(\$)) x NiPrice(\$)) x 2205); where CR(%) is a variable concentrate recovery ratio derived from metallurgical balance study, and Payable(%) is applied on concentrates. Note that a minimum deduction of 0.20% Co was applied on concentrate.
- *NiEq calculations used: USD/CAD exchange rate of 1.14, Nickel price of US\$6.56/lbs, Copper price of US\$2.97/lbs, Cobalt price of US\$13.00/lbs, Platinum price of US\$1,302.30/oz, and Palladium price of US\$737.20/oz (These are 3-year trailing averages calculated at the effective date); Payable of 70% for Nickel, 75% for Copper, 75% for Cobalt (minimum deduction of 0.20%), 45% for Platinum, and 45% for Palladium applied on expected concentrate based on analysis of available smelting and refining cost parameters
- Cut-off and NiEq calculations would have to be re-evaluated in light of future prevailing market conditions (metal prices, exchange rate, smelting terms, and mining costs).
- Density values were estimated for all lithological units from measured samples. Density values for the Horizon 1 and Horizon 3 mineralized zones were interpolated from both a measured density database and a correlation database accounting for a selection of metals (Ni, Fe, Co) yielding the best correlation with the measured database.
- The resource was estimated using GEMS 6.7. The estimate is based on 111 diamond drill holes (39,999.43 m). A minimum true thickness of 3.0 m was applied, using the grade of the adjacent material when assayed, or a value of zero when not assayed.
- High grade capping was done on raw assay data and established on a per zone basis for Nickel (15.00%), Copper (5.00%), Platinum (5.00g/t), and Palladium (8.00g/t). Capping grade selection is supported by statistical analysis.
- Compositing was done on drill hole sections falling within the mineralized zones (composite = 1.0 m).
- Resources were evaluated from drill holes using a 3-pass ID2 interpolation method in a block model (block size = 5 x 5 x 5 m).
- The Mineral Resources presented herein are categorized as Indicated and Inferred based on drill spacing, geological and grade continuity. Based on the nature of the mineralization, a maximum distance to the closest composite of 50 m was used for indicated Resources. The average distance to the nearest composite is 22.9 m for the Indicated resources and 53.6 m for the Inferred resources.
- Ounce (troy) = metric tonnes x grade / 31.10348. Calculations used metric units (metres, tonnes and g/t). Metal contents are presented in ounces and pounds.
- · The number of metric tons was rounded to the nearest hundred. Any discrepancies in the totals are due to rounding effects
- The quantity and grade of reported Inferred resources in this Mineral Resource Estimate are uncertain in nature and there has been insufficient exploration to define these Inferred resources as Indicated or Measured, and it is uncertain if further exploration will result in upgrading them to these categories.
- CIM definitions and guidelines for mineral resources have been followed.
- The Qualified Persons are not aware of any known environmental, permitting, legal, title-related, taxation, socio-political or marketing issues, or any other relevant issue, that could materially affect the Mineral Resource Estimate



Thanks

For more information contact us:



info@wallbridgemining.com

Or visit us at:

wallbridgemining.com



y in f



